


74


SECTION THRU LATERALS

SCALE:
HORIZ: 1"=10'
VERT: 1"=4'



LATERAL No.	Top of Ground 'A'	Bottom Lateral 'B'	Bottom Trench 'C'	Hole Size	No. of Holes	Hole Spacing
1	52.0	50.95	50.25	3/16"	12	4'-0"
2	53.0	51.95	51.25	3/16"	14	3'-6"
3	53.50	52.45	51.75	3/16"	14	3'-6"

All PVC PIPE to be Sch. 40.
All JOINTS to be primed prior to gluing.
All FITTINGS to be pressure type fittings.




LATERAL No.	Top of Ground 'A'	Bottom Lateral 'B'	Bottom Trench 'C'	Hole Size	No. of Holes	Hole Spacing	Each Side
1	49.0	47.95	47.25	3/16"	12	4'-0"	"
2	50.00	48.95	48.25	3/16"	14	3'-6"	"
3	51.00	49.95	49.25	3/16"	16	3'-0"	"

All PVC PIPE to be Sch. 40.
All JOINTS to be primed prior to gluing.
All FITTINGS to be pressure type fittings.


SECTION THRU MANIFOLD

SCALE:
HORIZ: 1"=10'
VERT: 1"=5'



MANIFOLD 'A'

All PVC PIPE to be Sch. 40.
All JOINTS to be primed prior to gluing.
All FITTINGS to be pressure type fittings.




MANIFOLD 'B'


All PVC PIPE to be Sch. 40.
All JOINTS to be primed prior to gluing.
All FITTINGS to be pressure type fittings.

Plat Book No. 13 Page 363


Filed in the Clerk's Office, Circuit Court, York Co., VA
the 10th day of October, 2001
at 2:00 pm
by Natalie L. Owens D.C.
Taste: Lynn S. Jenkins, Clerk




PUMP TANK PLAN
SCALE: 1"=2'




PUMP TANK SECTION
SCALE: 1"=2'




SEPTIC TANK PLAN
SCALE: 1"=2'




SEPTIC TANK SECTION
SCALE: 1"=2'




DETAIL A
NTS




DETAIL B
NTS



Typical Lateral End Detail
NTS



SECTION THRU TRENCHES
NTS




DETAIL C
NTS

REVISIONS

NO.	DATE	DESCRIPTION

SUTTON & JAMES, P.C.
Land Surveying & Civil Engineering

P.O. Box 1596
Gloucester, Va. 23061
PH: (804) 693-4450



SCALE	AS SHOWN
DATE	9 / 10 / 01
JOB NO.	7169

PROPOSED SEWAGE DISPOSAL SYSTEM

FOR
Peter C. Diakun
Constance S. Diakun
BENG
Lot 7
Queen's Lake
REVISED SECTION WE
Brunton District
York County Virginia